REGEIVED DENTRAL PAX GENTER

NOV 14 2007

Application No.: 10/693,642

Docket No.: 200313710US (1509-462)

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

1. (Original) A method of transporting SCSI data packets over a network to a destination, the method including the steps of

encapsulating a SCSI data packet within an MPLS header structure, said structure including a MPLS label,

assigning the data packet to a forward equivalence class; and

transporting the labelled data packet, according to the MPLS protocol, to its destination.

- 2. (Currently Amended) A method as claimed in claim 1 including the step of establishing a Label Switched Path for [[the]] an mSCSI PDU using an MPLS routing protocol prior to assigning the mSCSI PDU to a forward equivalence class.
- 3. (Original) A method of transporting SCSI data packets over a network to a destination, the method including the steps of
- encapsulating a SCSI data packet within an MPLS header structure, forming an mSCSI protocol data unit (mSCSI PDU);
- assigning the mSCSI PDU to a forward equivalence class;
- labelling the mSCSI PDU according to the MPLS protocol; and
- transporting the labelled data packet, according to the MPLS protocol, to its destination.
 - 4. (Original) A method as claimed in claim 3 including the step of

Docket No.: 200313710US (1509-462)

establishing a Label Switched Path for the mSCSI PDU using an MPLS routing protocol prior to assigning the mSCSI PDU to a forward equivalence class.

- 5. (Original) A method as claimed in claim 4 wherein the Label Switched Path specifies the routing that is to be imposed on the data packets when carried on the MPLS network.
- 6. (Currently Amended) A method as claimed in claim 4 wherein the MPLS-routing protocol is protocol for the MPLS network is selected from the group including CR-LDP[[,]] and RSVP-TE-or similar.
- 7. (Currently Amended) A method of transporting iSCSI protocol data units over a network to a destination, the method including the steps of:
- assigning an iSCSI protocol data unit to a forward equivalence class;
- labelling the iSCSI protocol data unit according to [[the]]an MPLS protocol; and
- transporting the labelled iSCSI protocol data unit on an MPLS network core.
- 8. (Original) A method of transporting ISCSI protocol data units (iSCSI PDUs) over an MPLS network including the steps of:
- establishing a label switched path for an iSCSI PDU using an MPLS routing protocol;
- assigning the iSCSI PDU to a particular forward equivalence class;
- labelling the iSCSI PDU with an MPLS label to form a MPLS data packet; and

transporting the labelled data packet according to the MPLS protocol.

9. (Original) A method as claimed in claim 8 wherein the Label Switched Path specifies the routing that is to be imposed on the data packets when carried on the MPLS network.

Docket No.: 200313710US (1509-462)

- 10. (Original) A method as claimed in claim 8 wherein the MPLS routing protocol is CR-LDP, RSVP-TE or similar.
- 11. (Currently Amended) A network configured including plural coupled computer arrangements, the network including a program for causing the network to operate in accordance with the method as claimed in claim 1.
- 12. (Currently Amended) A network configured including plural coupled computer arrangements, the network including a program for causing the network to operate in accordance with the method as claimed in claim 7.
- 13. (Currently Amended) A network configured including plural coupled computer arrangements, the network including a program for causing the network to operate in accordance with the method as claimed in claim 8.
- 14. (Original) One or more host computers configured to carry out the method as claimed in claim 7.
- 15. (Original) One or more host computers configured to carry out the method as claimed in claim 8.
- 16. (Original) One or more host computers configured to carry out the method as claimed in claim 1.
- 17. (Currently Amended) A memory <u>device or storage medium</u> including computer readable data in the form of storing a program for causing a network to be operated in accordance with the method of claim 1.
- 18. (Currently Amended) A memory storing device or storage medium including computer readable data in the form of a program for causing a network to be operated in accordance with the method of claim 7.
- 19. (Currently Amended) A memory storing—device or storage medium including computer readable data in the form of a program for causing a network to be operated in accordance with the method of claim 8.